

	WASHING MACHINES					
	ZWF14791W	ZWF16581W	ZWF16581G	ZWF16381W	ZWF14380W	ZWF14380G
Load	8	7	7	7	7	7
Spin	1400rpm	1600rpm	1600rpm	1600rpm	1400rpm	1400rpm
TECHNOLOGY						
LCD/LED display	Large LCD display	LCD display	LCD display	3 Digit LCD display	LED	LED
Wash technology	Jetsystem+	Jetsystem+	Jetsystem+	Jetsystem	Jetsystem	Jetsystem
Water fill	cold	cold	cold	cold	cold	cold
Programme end countdown						
Height	85	85	85	85	85	85
Width	60	60	60	60	60	60
Max depth * (cabinet dimension only)	60	60	60	60	60	60
Side depth						
Electronic push buttons	8	8	8	5	5	5
Electronic rotary controls	1	1	1	1	1	1
Inverter motor (quiet)	■	■	■	■		
PROGRAMMES						
Cottons Jetsystem+	■	■	■			
Cottons Eco Jetsystem+	■	■	■			
Synthetics Jetsystem+	■	■	■			
Cottons	■	■	■	■	■	■
Cottons+Prewash	■	■	■			
Cottons - Super Quick	■	■	■			
Cottons - ECO	■	■	■	■	■	■
Synthetics	■	■	■	■	■	■
Synthetics+Prewash	■	■	■			
Synthetics - Super Quick	■	■	■			
Delicates	■	■	■	■	■	■
Mini 30	■	■	■	■	■	■
Duvet	■	■	■			
Silk	■	■	■	■	■	■
Hand Wash	■	■	■	■	■	■
Wool	■	■	■	■	■	■
Shoes	■	■	■	■	■	■
Sports Intensive	■	■	■	■	■	■
Easy Iron	■	■	■	■	■	■
Auto Half Load	■	■	■	■	■	■
Others	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses
OPTIONS						
Temperature selection	■	■	■			
Soil Level	■	■	■			
Super Quick				■	■	■
Intensive				■	■	■
Prewash				■	■	■
Delay Start	up to 20h	up to 20h	up to 20h	up to 20h	up to 20h	up to 20h
Night Cycle	■	■	■	■	■	■
Extra Rinse	■	■	■	■	■	■
Easy Iron	■	■	■			
FEATURES						
Variable spin	■	■	■	■	■	■
Variable temperature	■	■	■	■	■	■
Large porthole	■	■	■	■	■	■
PERFORMANCE						
Energy class	A+	A+	A+	A+	A+	A+
Energy consumption kWh	1.36	1.19	1.19	1.19	1.19	1.19
Annual energy consumption kWh	272	238	238	238	238	238
Wash performance	A	A	A	A	A	A
Spin dry performance	A	A	A	A	B	B
Water after spin %	44	44	44	44	52	52
Water consumption litres	60	52	52	52	52	52
Annual water consumption litres	12000	10400	10400	10400	10400	10400
Programme time mins	140	119	119	119	150	150
Wash decibel dBA	55	55	55	55	56	56
Spin decibel dBA	79	79	79	79	79	79
COLOURS						
White	■	■	■	■	■	■
Graphite			■			■

* If enclosed behind cabinet door, add 3.5 cm to Depth

	WASHING MACHINES				COMPACT WASHING MACHINE
	ZWF12380W	ZWF16070W1	ZWF14070W1/G1	ZWF12070W1/G1	ZWC1300W
Load	7	6	6	6	3
Spin	1200rpm	1600rpm	1400rpm	1200rpm	1300rpm
TECHNOLOGY					
LCD/LED display	LED	LED	LED	LED	LED
Wash technology	Jetsystem	Aqua cycle	Aqua cycle	Aqua cycle	Aqua cycle
Water fill	cold	cold	cold	cold	cold
Programme end countdown					
Height	85	85	85	85	67
Width	60	60	60	60	49.5
Max depth * (cabinet dimension only)	60	60	55.2	55.2	51.5
Side depth					
Electronic push buttons	5	5	5	5	5
Electronic rotary controls	1	1	1	1	2
Inverter motor (quiet)					
PROGRAMMES					
Cottons Jetsystem+					
Cottons Eco Jetsystem+					
Synthetics Jetsystem+					
Cottons	■	■	■	■	■
Cottons+Prewash					
Cottons - Super Quick					
Cottons - ECO	■	■	■	■	■
Synthetics	■	■	■	■	■
Synthetics+Prewash					
Synthetics - Super Quick					
Delicates	■	■	■	■	■
Mini 30	■	■	■	■	■
Duvet					
Silk	■	■	■	■	■
Hand Wash					
Wool	■	■	■	■	■
Shoes	■	■	■	■	■
Sports Intensive	■	■	■	■	■
Easy Iron	■	■	■	■	■
Auto Half Load	■	■	■	■	■
Others	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses
OPTIONS					
Temperature selection					
Soil Level					
Super Quick	■	■	■	■	■
Intensive	■	■	■	■	■
Prewash	■	■	■	■	■
Delay Start	up to 20h	3/6/9h	3/6/9h	3/6/9h	2/4/8h
Night Cycle	■				
Extra Rinse	■				
Easy Iron					
FEATURES					
Variable spin	■	■	■	■	■
Variable temperature	■	■	■	■	■
Large porthole	■	■	■	■	■
PERFORMANCE					
Energy class	A+	A+	A	A	A
Energy consumption kWh	1.19	1.02	1.14	1.02	0.57
Annual energy consumption kWh	238	204	228	204	114
Wash performance	A	A	A	A	B
Spin dry performance	B	A	B	B	B
Water after spin %	53	44	52	53	53
Water consumption litres	52	54	54	54	39
Annual water consumption litres	10400	10800	10800	10800	7800
Programme time mins	150	160	155	155	131
Wash decibel dBA	56	56	56	56	53
Spin decibel dBA	79	79	77	79	74
COLOURS					
White	■	■	■	■	■
Graphite			■	■	

* If enclosed behind cabinet door, add 3.5 cm to Depth

	WASHER DRYERS				
	ZWD14791W	ZWD14581W1	ZWD16270W1	ZWD14270W1	ZWD12270W1
TECHNOLOGY					
LCD/LED display	Large LCD display	LCD display	3 Digit LCD display	3 Digit LCD display	3 Digit LCD display
Wash technology	Jetsystem	Jetsystem+	Aquacycle	Aquacycle	Aquacycle
Water fill	cold	cold	cold	cold	cold
Spin speed	1400rpm	1400rpm	1600rpm	1400rpm	1200rpm
Programme end countdown					
Height	85	85	85	85	85
Width	60	60	60	60	60
Depth * (cabinet dimension only)	60	60	60	60	60
Electronic push buttons	8	8	5	5	5
Electronic rotary controls	1	1	1	1	1
Inverter motor (quiet)	■	■			
PROGRAMMES					
Cottons Jetsystem+	■	■			
Cottons Eco Jetsystem+	■	■			
Synthetics Jetsystem+	■	■			
Cottons	■	■	■	■	■
Cottons+Prewash	■	■			
Cottons - Super Quick	■	■			
Cottons - ECO	■	■	■	■	■
Synthetics	■	■	■	■	■
Synthetics+Prewash	■	■			
Synthetics - Super Quick	■	■			
Delicates	■	■	■	■	■
Mini 30	■	■	■	■	■
Duvet	■	■			
Silk	■	■	■	■	■
Hand Wash	■	■	■	■	■
Wool	■	■	■	■	■
Cottons Drying	■	■	■	■	■
Synthetics Drying	■	■	■	■	■
Easy Iron	■	■			
Others	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses	Spin, Drain, Rinses
OPTIONS					
Dryness	■	■			
Drying Time	■	■	■	■	■
Quick			■	■	■
Intensive			■	■	■
Prewash			■	■	■
Delay Start	up to 20h	up to 20h			
Night Cycle	■	■			
Extra Rinse	■	■			
Easy Iron	■	■			
FEATURES					
Variable spin	■	■	■	■	■
Variable temperature	■	■	■	■	■
Large porthole	■	■	■	■	■
PERFORMANCE					
Wash Load kg	8	7	6	6	6
Wash & Dry Load	6	5	4	4	4
Energy class1 (wash and dry)	B	C	B	C	C
Energy class1 (wash only)	A+	A+	A+	A+	A
Energy consumption kWh	1.36	1.19	1.02	1.02	1.02
Energy consumption kWh wash&dry	6.48	5.9	4.85	5.3	5.5
Annual energy consumption kWh wash	272	238	204	204	204
Annual energy consumption kWh wash&dry	1296	1180	970	1060	1100
Wash performance	A	A	A	A	A
Spin Dry performance	B	B	A	B	B
Water after spin %	44	52	44	52	53
Water consumption litres wash&dry	105	108	97	100	104
Annual water consumption litres wash	12000	10400	10800	10800	10800
Annual water consumption litres wash&dry	21000	21600	19400	20000	20800
Programme time mins wash&dry	140	305	315	325	335
Wash decibel	55	55	56	56	56
Spin decibel	79	79	79	79	77
Drying decibel	62	62	62	62	62
COLOURS					
White	■	■	■	■	■

* If enclosed behind cabinet door, add 3.5 cm to depth

	TUMBLE DRYERS				
	ZDC67550W	ZDC47100W	ZDC47100G	ZDC37100W	ZDE67550W
TECHNOLOGY					
LCD/LED display	LED controls	LED controls	LED controls	LED controls	LED controls
Drying Technology	condense electronic	condense electronic	condense electronic	condense electronic	vented electronic
Programme end countdown	yes				
Height	85	85	85	85	85
Width	60	60	60	60	60
Depth	58	58	58	58	58
Electronic push buttons	5	3	3	3	5
Electronic rotary controls	1	1	1	1	1
Sensor Drying	■	■	■		■
PROGRAMMES					
Extra cottons	■	■	■		■
Intensive cottons	■				
Cupboard cottons	■	■	■		■
Damp cottons	■				■
Iron cottons	■				■
Machine cottons					
Extra synthetics	■		■		■
Cupboard synthetics	■	■	■		■
Iron synthetics	■				■
Easy iron	■	■	■		■
Jeans	■				■
Mixed	■				■
Time	■	■	■	■	■
Gentle				■	■
Wool		■	■		■
OPTIONS					
Dryness	■				
Delicate	■	■	■	■	■
Buzzer	■	■	■	■	■
Time	■	■	■	■	■
Textile		■	■	■	■
Quick			■	■	■
Delay Start	■				■
FEATURES					
Reverse tumble	■	■	■	■	■
Auto cool-down & cool tumble	■	■	■	■	■
Large porthole	■	■	■	■	■
Large opening angle	■	■	■	■	■
Drum light					
Condensed water capacity ltrs	4	4	4	3,6	
Water container full indicator	■	■	■	■	
Water tank position	high	low	low	low	
Fluff filter light	■	■	■	■	
PERFORMANCE					
Energy class	B	C	C	C	C
Energy consumption kWh/cycle	3.92	4.4	4.4	4.4	3.9
Annual energy consumption kWh	284.1	298.7	298.7	298.7	263.1
Capacity	7	7	7	7	7
Drying times mins	125	130	130	130	95
COLOURS					
White	■	■		■	■
Graphite			■		

	TUMBLE DRYERS	
	ZDE47100W	TC180W
TECHNOLOGY		
LCD/LED display	LED controls	LED controls
Drying Technology	vented electronic	condense electronic
Programme end countdown		
Height	cm 85	68.6
Width	cm 60	59.5
Depth	cm 58	42
Electronic push buttons	3	
Electronic rotary controls	1	
Sensor Drying	■	
PROGRAMMES		
Extra cottons	■	
Intensive cottons		
Cupboard cottons	■	
Damp cottons		
Iron cottons		
Machine cottons		
Extra synthetics	■	
Cupboard synthetics	■	
Iron synthetics		
Easy iron	■	
Jeans		
Mixed		
Time	■	■
Gentle		
Wool	■	
OPTIONS		
Dryness		
Delicate	■	
Buzzer	■	
Time	■	
Textile	■	
Quick		
Delay Start		
FEATURES		
Reverse tumble	■	■
Auto cool-down & cool tumble	■	
Large porthole	■	
Large opening angle	■	
Drum light		
Condensed water capacity ltrs		2.5
Water container full indicator		■
Water tank position		bottom left
Fluff filter light	■	
PERFORMANCE		
Energy class	C	C
Energy consumption kWh/cycle	3.9	2.47
Annual energy consumption kWh	262.6	380
Capacity	Kg 7	3.4
Drying times mins	mins 115	100
COLOURS		
White	■	■

	DISHWASHER		
	ZDF4010 60cm width dishwasher	ZDF3020 60cm width dishwasher	ZDF2020 60cm width dishwasher
PROGRAMMES			
No. of Programmes	5	5	5
No. of temperatures	4	4	3
Auto 45°C - 70°C	■	■	
Quick wash	■	■	■
Intensive 70°C	■	■	■
Eco 50°C with pre-rinse/ Eco 55°C	■	■	■
Normal 65°C			■
Glass 45°C			
Rinse & Hold	■	■	■
FEATURES			
Control Type	Electronic push button	Electronic rotary control	Electronic rotary control
LED display	■	■	
Delay Timer	■	■	■
Salt refill indicator	■	■	■
Rinse aid indicator	■	■	■
Height adjustable upper basket	■	■	■
Foldable plate racks	■	■	■
Drying Type	Active	Active	Active
Flood protection switch	■	■	■
Adjustable water softener	■	■	■
DECLARATION DETAILS			
Programme	Eco 50 with pre-rinse	Eco 50 with pre-rinse	Eco 50 with pre-rinse
IEC Place settings	12	12	12
Water consumption	litres 13	13	15
Energy consumption	kWh 1.05	1.05	1.05
Programme Time	160	160	140
Noise level decibel rating	dBA 47	47	51
Water fill	Cold	Cold	Cold
Energy rating	A	A	A
Wash performance	A	A	A
Drying performance	A	A	A
DIMENSIONS			
Product width	mm 600	600	600
Product height	mm 850	850	850
Product depth	mm 610	610	610
Net weight	kg 41.1	40.8	40.1
Height adjustable feet	■	■	■
Packaged width mm	635	635	635
Packaged height mm	902	902	902
Packaged depth mm	680	680	680
Gross weight	kg 42.3	42	41.3
COLOURS			
White	■	■	■
Silver		■	
Black		■	

	DISHWASHER		
	ZDS2010 45cm width dishwasher	ZSF2450 Compact dishwasher	ZSF2450S Compact dishwasher
PROGRAMMES			
No. of Programmes	5	5	5
No. of temperatures	3	4	4
Auto 45°C - 70°C	■	■	■
Quick wash	■	■	■
Intensive 70°C	■	■	■
Eco 50°C with pre-rinse/ Eco 55°C	■	■	■
Normal 65°C	■		
Glass 40°C / Glass 45°C		■	■
Rinse & Hold	■		
FEATURES			
Control Type	Electronic rotary control	Electronic rotary control	Electronic push button
LED display		■	■
Delay Timer	■	■	■
Salt refill indicator	■	■	■
Rinse aid indicator	■	■	■
Height adjustable upper basket	■		
Foldable plate racks			
Drying Type	Active	Residual	Residual
Flood protection switch	■	■	■
Adjustable water softener	■	■	■
DECLARATION DETAILS			
Programme	Eco 50 with pre-rinse	Eco 55	Eco 55
IEC Place settings	9	6	6
Water consumption litres	13	7	7
Energy consumption kWh	0.8	0.63	0.63
Programme Time	130	159	159
Noise level decibel rating dBA	51	48	48
Water fill	Cold or Hot	Cold or Hot	Cold or Hot
Energy rating	A	A	A
Wash performance	A	A	A
Drying performance	A	B	B
DIMENSIONS			
Product width mm	446	545	545
Product height mm	850	447	447
Product depth mm	605	480	480
Net weight kg	35	20.5	20.5
Height adjustable feet	■		
Packaged width mm	500	605	605
Packaged height mm	910	505	505
Packaged depth mm	680	595	595
Gross weight kg	36.5	22.4	22.4
COLOURS			
White	■	■	
Silver	■		■

	FRIDGE FREEZERS			
	ZRB834NW	ZRB638FW	ZRB32FW/FX	ZRB634FW/FX
INTERIOR FRIDGE FEATURES				
Clima fan	■			
Glass shelves	3	3	3	3
Wine rack	■	■	■	■
Adjustable shelves	3	2	2	3
2 half width drawers	■	■	■	■
Interior lights	Bulb	Bulb	Bulb	Bulb
FRIDGE DOOR FEATURES				
EasyWater	■			
Full width dairy compartment	1	1	1	1
Number of door shelves	1	2	2	1
Full width bottle shelf	■	■	■	■
Number and type of egg trays	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs
FREEZER FEATURES				
Freezer drawers	3	3	3	3
Fold down compartments				
Ice tray				
Defrosting spout				
Colour	White	White	White/stainless steel look	White/stainless steel look
DOOR HINGING				
Door hinging	Right and reversible	Right and reversible	Right and reversible	Right and reversible
Height mm	1850	2010	1750	1850
Width mm	595	595	595	595
Depth mm	632	632	632	632
Gross capacity fridge litres/cu.ft	249/8.79	291/10.27	226/7.98	249/8.79
Net capacity fridge litres/cu.ft	245/8.65	285/10.06	223/7.88	245/8.65
Gross capacity freezer litres/cu.ft	91/3.2	91/3.2	91/3.2	91/3.2
Net capacity freezer litres/cu.ft	78/2.6	78/2.6	78/2.6	78/2.6
Energy label	A	A	A	A
Energy consumption per day kWh	0.97	1.02	0.95	0.98
Yearly energy consumption kWh	357	394	347	357
Climate class	SN-ST	SN-ST	SN-ST	SN-N-ST
Frost free	■	■	■	■
Fast freeze				
Fridge defrost function	Automatic	Automatic	Automatic	Automatic
Freezer defrost function	Automatic	Automatic	Automatic	Automatic
High temperature indicator				
Power indicator				
Freezing capacity hour	4	4	4	4
Rising time in power failure	18	18	16	18

	FRIDGE FREEZERS			
	ZRB323W01	ZRT318W	ZRT623W/X	ZRB934XL/PW
INTERIOR FRIDGE FEATURES				
Climate fan				
Glass shelves	2	2	3	3
Wine rack				
Adjustable shelves		2	3	3
2 half width drawers	■			■
Interior lights	Bulb	Bulb	Bulb	Bulb
FRIDGE DOOR FEATURES				
EasyWater				
Full width dairy compartment		1	1	1
Number of door shelves	2	1	1	2
Full width bottle shelf	■	■	■	■
Number and type of egg trays	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs
FREEZER FEATURES				
Freezer drawers	3	1 wire shelf	3	2
Fold down compartments				
Ice tray	■	■	■	
Defrosting spout				
Colour	White	White	White/stainless steel look	White/stainless steel look
Dimensions				
Door hinging	Right and reversible	Right and reversible	Right and reversible	Right and reversible
Height	mm	1600	1209	1404
Width	mm	540	496	545
Depth	mm	600	604	604
Gross capacity fridge	litres/cu.ft	151/5.33	138/4.9	190/6.7
Net capacity fridge	litres/cu.ft	150/5.29	136/4.8	186/6.6
Gross capacity freezer	litres/cu.ft	81/2.86	42/1.48	44/1.55
Net capacity freezer	litres/cu.ft	64/2.26	42/1.48	44/1.55
Energy label		A	A	A
Energy consumption per day	kWh	0.78	0.72	0.78
Yearly energy consumption	kWh	288	263	285
Climate class		SN-N-ST	SN-N-ST	SN-N-ST
Frost free				
Fast freeze				
Fridge defrost function		Automatic	Automatic	Automatic
Freezer defrost function	Manual	Manual	Manual	Manual
High temperature indicator				
Power indicator				
Freezing capacity hour		4.5	3	3
Rising time in power failure		15	17	19

INTERIOR FRIDGE FEATURES	
Extra large salad drawer	1
Adjustable glass shelf with trim	2
Type of star compartment	2
Bottle grip	■
Interior light	Bulb
FRIDGE DOOR FEATURES	
Full width dairy compartment	1
Number of door shelves	3
Number and type of egg trays	1 for 6 eggs
Bottle shelves	1
Colour	White
Dimensions	
Door hinging	Right and reversible
Height	mm
Width	mm
Depth	mm
Energy consumption per day	kWh
Yearly energy consumption	kWh
Energy label	A
Climate class	SN
Gross capacity fridge	litres/cu.ft
Net capacity fridge	litres/cu.ft
Net capacity star compartment	litres/cu.ft

FREEZER FEATURES	
Freezer drawers	4
Fold down compartments	1
Ice tray	1
Ice scraper	
Colour	White
Dimensions	
Door hinging	Right and reversible
Height	mm
Width	mm
Depth	mm
Frost Free	■
Fast Freeze	■
High temperature indicator	■
Power indicator	Green lamp
Energy consumption per day	kWh
Yearly energy consumption	kWh
Energy label	A
Climate class	SN
Gross capacity freezer	litres/cu.ft
Net capacity freezer	litres/cu.ft
Freezing capacity	hour
Rising time in power failure	

CHEST FREEZERS		
	ZFC321WA	ZFC321WB
FREEZER FEATURES		
Freezer baskets	1	1
Freezer lamps	■	
Vacuum release valve	■	
Wheels	■	
Fixed Feet		■
Colour	White	White
Dimensions		
Height	mm	876
Width	mm	795
Depth	mm	665
Fast Freeze		
High temperature indicator		
Power indicator		
Energy consumption	kWh	0.616
Yearly energy consumption	kWh	225
Energy label		A+
Climate class		SN-N-ST-T
Gross capacity freezer	litres/cu.ft	213/7.5
Net capacity freezer	litres/cu.ft	210/7.4
Freezing capacity	hour	14
Rising time in power failure		28

	FRIDGES				
	ZRA328W0	ZRG717CW	ZRG715SW	ZRG616CW/CX	ZRG614SW
INTERIOR FRIDGE FEATURES					
Extra large salad drawer	1				
Adjustable glass shelf with trim		2	2	2	2
Type of star compartment			4*		4*
Bottle grip	■	■	■	■	■
Interior light	Bulb	Bulb	Bulb	Bulb	Bulb
FRIDGE DOOR FEATURES					
Full width dairy compartment	1	1	1	1	
Number of door shelves	3	1	1	1	1
Number and type of egg trays	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs
Bottle shelves	1	1	1	1	1
Colour	White	White	White	White/stainless steel look	White
Dimensions					
Door hinging	Right and reversible	Right and reversible	Right and reversible	Right and reversible	Right and reversible
Height	mm	1450	850	850	850
Width	mm	600	595	595	550
Depth	mm	600	635	635	612
Energy consumption per day	kWh	0.46	0.33	0.52	0.42
Yearly energy consumption	kWh	168	120	188	154
Energy label		A	A+	A	A
Climate class		SN	SN-N-ST-T	SN-N-ST-T	SN-N-ST
Gross capacity fridge	litres/cu.ft	284/10.0	155/5.47	144/5.1	155/5.5
Net capacity fridge	litres/cu.ft	275/9.7	152/5.37	119/4.2	152/5.4
Net capacity star compartment	litres/cu.ft			19/67	18/0.64

	UPRIGHT FREEZERS				COMPACT FREEZER
	ZFU325W0	ZFT810W	ZFT710FW	ZFT610W/X	ZFX305W
FREEZER FEATURES					
Freezer drawers	4	3	4	3	1 wire shelf
Fold down compartments			1		
Ice tray	1		1		
Ice scraper					■
Colour	White	White	White	White/stainless steel look	White
Dimensions					
Door hinging	Right and reversible	Right and reversible	Right and reversible	Right and reversible	Right and reversible
Height	mm	1450	850	850	520
Width	mm	600	595	595	525
Depth	mm	600	635	635	587
Frost Free	■		■		
Fast Freeze	■	■	■	■	■
High temperature indicator			■	■	
Power indicator	Green lamp	Green lamp	Green lamp	Green lamp	
Energy consumption per day	kWh	0.73	0.51	0.56	0.48
Yearly energy consumption	kWh	266	186	210	207
Energy label		A	A+	A	A
Climate class		SN	SN-N-ST-T	SN-N-ST-T	SN-N-ST
Gross capacity freezer	litres/cu.ft	243/8.58	110/3.88	100/3.5	110/3.88
Net capacity freezer	litres/cu.ft	205/7.24	92/3.25	80/2.8	91/3.2
Freezing capacity	hour	24	14	9	12
Rising time in power failure		19	24	13	22

	SINGLE OVENS		
	ZKT6050 Top/Bottom	ZKC6040 Top/Bottom	ZKC6020 Top/Bottom
OVEN FUNCTIONS			
Thermaflow®, Fan operated	/ ■	/ ■	/ ■
Defrost	/ ■	/ ■	/ ■
Conventional cooking	■ /	■ /	■ /
Full grill	■ /	■ /	■ /
OVEN FEATURES			
Control Type	Touch	Rotary	Rotary
Fully programmable electronic clock	/ ■	/ ■	/ ■
Oven doors	Double	Double	Double
Catalytic liners	■ / ■	■ / ■	■ / ■
Clear 'n' Clean Enamel			■ / ■
HOB FEATURES			
Number of cooking zones	4	4	4
Front Left Spec 1)	Fast	Fast	Fast
Front Left Rating 2)	kW 1.8	0.7	1.7
Front Left Diameter	mm 180	180	180
Rear Left Spec 1)	Fast	Fast	Fast
Rear Left Rating 2)	kW 1.2	1.2	1.2
Rear Left Diameter	mm 140	140	145
Front Right Spec 1)	Fast	Fast	Fast
Front Right Rating 2)	kW 1.2	1.2	1.2
Front Right Diameter	mm 140	140	145
Rear Right Spec 1)	Fast	Fast	Fast
Rear Right Rating 2)	kW 1.8	1.8	1.7
Rear Right Diameter	mm 180	180	180
EQUIPMENT SUPPLIED			
Moulded grid runners	■	■	■
Chrome auto-stop non-tip shelves	1 / 2	1 / 2	1 / 2
Grill/Meat pan	■	■	■
ENERGY INFORMATION			
Energy class	A / B	A / A	A / A
Energy efficiency class in mode	Static / Fan	Static / Fan	Static / Fan
Energy consumption static	0.78 / NA	0.79 / NA	0.79 / NA
Energy consumption fan	NA / 0.85	NA / 0.79	NA / 0.79
ELECTRICAL CONNECTION			
Voltage	230 / 240	230 / 240	230 / 240
Frequency	50	50	50
Connected load (max)	11.25	11.21	10.11
Oven power (max)	kW 1.45 / 2.90	1.45 / 1.96	1.45 / 1.96
Grill power (max)	kW 2.35 / 1.94	2.35 / NA	2.35 / NA
Fuse rating	30	30	30
APPLIANCE DIMENSIONS			
Height	mm 900	900	900
Width	mm 600	600	600
Depth	mm 600	600	600
Net Weight	kg 59	58	59
INTERNAL DIMENSIONS (LEFT / RIGHT)			
Volume (usage)	litres 37 / 58	37 / 58	37 / 58
Height	mm 198 / 338	198 / 338	198 / 338
Width	mm 421 / 421	421 / 421	421 / 421
Depth	mm 448 / 410	448 / 410	448 / 410
PACKAGING DIMENSIONS			
Height	mm 1020	1020	1020
Width	mm 660	660	660
Depth	mm 740	740	740
Gross Weight	kg 61	59	61
LITERATURE SUPPLIED			
Operation and installation instructions	■	■	■
COLOUR			
Stainless Steel	ZKT6050X	ZKC6040X	
White	ZKT6050W	ZKC6040W	ZKC6020W
Silver		ZKC6040S	ZKC6020S

	SINGLE OVENS	
	ZKC6000 Top/Bottom	ZKC5540 Top/Bottom
OVEN FUNCTIONS		
Thermaflow®, Fan operated	/ ■	/ ■
Defrost	/ ■	/ ■
Conventional cooking	■ /	■ /
Full grill	■ /	■ /
OVEN FEATURES		
Control Type	Rotary	Rotary
Fully programmable electronic clock		/ ■
Oven doors	Double	Double
Catalytic liners		/ ■
Clear 'n' Clean Enamel	■ / ■	■ /
HOB FEATURES		
Number of cooking zones	4	4
Front Left Spec 1)	Fast	Fast
Front Left Rating 2)	kW 1.7	1.7
Front Left Diameter	mm 180	180
Rear Left Spec 1)	Fast	Fast
Rear Left Rating 2)	kW 1.2	1.2
Rear Left Diameter	mm 145	145
Front Right Spec 1)	Fast	Fast
Front Right Rating 2)	kW 1.2	1.2
Front Right Diameter	mm 145	145
Rear Right Spec 1)	Fast	Fast
Rear Right Rating 2)	kW 1.7	1.7
Rear Right Diameter	mm 180	180
EQUIPMENT SUPPLIED		
Moulded grid runners	■	■
Chrome auto-stop non-tip shelves	1 / 2	1 / 2
Grill/Meat pan	■	■
ENERGY INFORMATION		
Energy class	A / A	A / A
Energy efficiency class in mode	Static / Fan	Static / Fan
Energy consumption static	0.79 / NA	0.79 / NA
Energy consumption fan	NA / 0.79	NA / 0.79
ELECTRICAL CONNECTION		
Voltage	230 / 240	230 / 240
Frequency	50	50
Connected load (max)	10.11	10.11
Oven power (max)	kW 1.45 / 1.96	1.45 / 1.96
Grill power (max)	kW 2.35 / NA	2.35 / NA
Fuse rating	30	30
APPLIANCE DIMENSIONS		
Height	mm 900	900
Width	mm 600	550
Depth	mm 600	600
Net Weight	kg 59	56
INTERNAL DIMENSIONS (LEFT / RIGHT)		
Volume (usage)	litres 37 / 58	37 / 58
Height	mm 198 / 338	198 / 338
Width	mm 421 / 421	421 / 421
Depth	mm 448 / 410	448 / 410
PACKAGING DIMENSIONS		
Height	mm 1020	1020
Width	mm 660	610
Depth	mm 740	740
Gross Weight	kg 61	58
LITERATURE SUPPLIED		
Operation and installation instructions	■	■
COLOUR		
Stainless Steel		ZKC5540X
White	ZKC6000W	ZKC5540W
Silver		ZKC5540S

	GAS OVENS	
	ZKG6040*	ZKG6020*
FUEL TYPE		
Natural Gas	■	■
Flame safety device using thermocouples*	■	■
TOP CAVITY FUNCTIONS		
Grill type	Variable	Variable
Multi zone cooking	■	■
BOTTOM CAVITY FUNCTIONS		
Multi zone cooking	■	■
Slow cook	■	■
OVEN FEATURES		
Control Type	Rotary	Rotary
Fully programmable electronic clock	/ ■	/ ■
Minute Minder		/ ■
Oven doors	Double	Double
Catalytic liners	/ ■	/ ■
Clear 'n' Clean Enamel	■ /	■ / ■
HOB FEATURES		
Number of cooking zones	4	4
Lid	■	■
Ignition Type	Integrated	Integrated
Pan Supports	Enamel	Enamel
Front Left Spec 1)	Rapid	Rapid
Front Left Rating 2)	2.9	2.9
Rear Left Spec 1)	Semi-Rapid	Semi-Rapid
Rear Left Rating 2)	1.9	1.9
Front Right Spec 1)	Simmer	Simmer
Front Right Rating 2)	1.0	1.0
Rear Right Spec 1)	Semi-Rapid	Semi-Rapid
Rear Right Rating 2)	1.9	1.9
EQUIPMENT SUPPLIED		
Grid runners	Moulded	Moulded
Chrome auto-stop non-tip shelves	1 / 2	1 / 2
Grill/Meat pan	■	■
ELECTRICAL CONNECTION		
Voltage	230 / 240	230 / 240
Frequency	50	50
Fuse rating	3	3
APPLIANCE DIMENSIONS		
Height	mm 900	mm 900
Width	mm 600	mm 600
Depth	mm 600	mm 600
Net Weight	kg 63.5	kg 61.5
INTERNAL DIMENSIONS (LEFT/RIGHT)		
Volume (usage)	litres 27 / 49	litres 27 / 49
Height	mm 182 / 338	mm 182 / 338
Width	mm 421 / 421	mm 421 / 421
Depth	mm 347 / 347	mm 347 / 347
PACKAGING DIMENSIONS		
Height	mm 1020	mm 1020
Width	mm 660	mm 660
Depth	mm 740	mm 740
Gross Weight	kg 65.5	kg 63.5
LITERATURE SUPPLIED		
Operation and installation instructions	■	■
COLOUR		
Stainless Steel		
White	ZKG6040WFN*	ZKG6020WFN*
Silver		ZKG6020SFN*

*Model with full safety device, suitable for apartments and multi-occupancy dwellings.

	GAS OVENS	
	ZKG5540*	ZKG5530*
FUEL TYPE		
Natural Gas	■	■
Flame safety device using thermocouples*	■	■
TOP CAVITY FUNCTIONS		
Grill type	Variable	Variable
Multi zone cooking	■	■
BOTTOM CAVITY FUNCTIONS		
Multi zone cooking	■	■
Slow cook	■	■
OVEN FEATURES		
Control Type	Rotary	Rotary
Fully programmable electronic clock	/ ■	/ ■
Minute Minder		/ ■
Oven doors	Double	Double
Catalytic liners	/ ■	/ ■
Clear 'n' Clean Enamel	■ /	■ /
HOB FEATURES		
Number of cooking zones	4	4
Lid	■	■
Ignition Type	Integrated	Integrated
Pan Supports	Enamel	Enamel
Front Left Spec 1)	Rapid	Rapid
Front Left Rating 2)	2.9	2.9
Rear Left Spec 1)	Semi-Rapid	Semi-Rapid
Rear Left Rating 2)	1.9	1.9
Front Right Spec 1)	Simmer	Simmer
Front Right Rating 2)	1.0	1.0
Rear Right Spec 1)	Semi-Rapid	Semi-Rapid
Rear Right Rating 2)	1.9	1.9
EQUIPMENT SUPPLIED		
Grid runners	■	■
Chrome auto-stop non-tip shelves	1 / 2	1 / 2
Grill/Meat pan	■	■
ELECTRICAL CONNECTION		
Voltage	230 / 240	230 / 240
Frequency	50	50
Fuse rating	3	3
APPLIANCE DIMENSIONS		
Height	mm 900	mm 900
Width	mm 550	mm 550
Depth	mm 600	mm 600
Net Weight	kg 61.5	kg 61.5
INTERNAL DIMENSIONS (LEFT/RIGHT)		
Volume (usage)	litres 27 / 49	litres 27 / 49
Height	mm 182 / 338	mm 182 / 338
Width	mm 421 / 421	mm 421 / 421
Depth	mm 347 / 347	mm 347 / 347
PACKAGING DIMENSIONS		
Height	mm 1020	mm 1020
Width	mm 610	mm 610
Depth	mm 740	mm 740
Gross Weight	kg 63	kg 63.5
LITERATURE SUPPLIED		
Operation and installation instructions	■	■
COLOUR		
Stainless Steel	ZKG5540XFN*	
White	ZKG5540WFN*	ZKG5530WFN*
Silver		

*Model with full safety device, suitable for apartments and multi-occupancy dwellings.

		MIXED FUEL
		ZKM6040
		Top/Bottom
OVEN FUNCTIONS		
Thermaflow®, Fan operated		/ ■
Defrost		/ ■
Conventional cooking		■ /
Full grill		■ /
OVEN FEATURES		
Control Type		Rotary
Fully programmable electronic clock		/ ■
Oven doors		Double
Catalytic liners		■ / ■
HOB FEATURES		
Hob fuel type		Gas
Number of cooking zones		4
Ignition Type		Integrated
Cast Iron Pan Supports		Enamel
Front Left Spec 1)		Rapid
Front Left Rating 2)	kW	2.9
Rear Left Spec 1)		Semi-Rapid
Rear Left Rating 2)	kW	1.9
Front Right Spec 1)		Simmer
Front Right Rating 2)	kW	1.0
Rear Right Spec 1)		Semi-Rapid
Rear Right Rating 2)	kW	1.9
ENERGY INFORMATION		
Energy class		A / A
Energy efficiency class in mode		Static / Fan
Energy consumption static		0.79 / NA
Energy consumption fan		NA / 0.79
EQUIPMENT SUPPLIED		
Chrome grid runners		■
Chrome auto-stop non-tip shelves		1 / 2
Grill/Meat pan		■
ELECTRICAL CONNECTION		
Voltage		230 / 240
Frequency		50
Connected load (max)		7.31
Oven power (max)	kW	1.48 / 1.96
Grill power (max)	kW	2.35 / NA
Fuse rating		30
APPLIANCE DIMENSIONS		
Height	mm	900
Width	mm	600
Depth	mm	600
Net Weight	kg	63
INTERNAL DIMENSIONS (LEFT / RIGHT)		
Volume (usage)	litres	37 / 58
Height	mm	198 / 338
Width	mm	421 / 421
Depth	mm	448 / 410
PACKAGING DIMENSIONS		
Height	mm	1020
Width	mm	660
Depth	mm	740
Gross Weight	kg	65
LITERATURE SUPPLIED		
Operational and installation instructions		■
COLOUR		
Stainless Steel		ZKM6040XN

RANGE COOKER
ZCM1031X*
Left / Right

OVEN FUNCTIONS		
Thermaflow®, Fan operated		■ /
Thermal grilling		■ /
Pizza Cooking		■ /
Conventional cooking		■ / ■
Full grill		■ / ■
Top heat		■ / ■
Bottom heat		/ ■
Defrost		■ /
OVEN FEATURES		
Control Type		Rotary
Fully programmable electronic clock		■
Oven doors		Triple
Clear 'n' Clean Enamel		■
HOB FEATURES		
Number of cooking zones		5
Ignition Type		Integrated
Cast Iron Pan Supports		■
Front Left Spec 1)		Rapid
Front Left Rating 2)	kW	3
Front Left Diameter	mm	100
Rear Left Spec 1)		Semi-Rapid
Rear Left Rating 2)	kW	1.75
Rear Left Diameter	mm	75
Front Right Spec 1)		Semi-Rapid
Front Right Rating 2)	kW	1.75
Front Right Diameter	mm	75
Rear Right Spec 1)		Rapid
Rear Right Rating 2)	kW	3
Rear Right Diameter	mm	100
Middle Front Spec 1)		Wok
Middle Front Rating 2)	kW	3.3
Middle Front Diameter	mm	130
ENERGY INFORMATION		
Energy class		B / B
Energy efficiency class in mode		Fan / Static
Energy consumption static		0.93 / 0.78
Energy consumption fan		0.99 / NA
EQUIPMENT SUPPLIED		
Chrome grid runners		■
Chrome auto-stop non-tip shelves		■
Grill/Meat pan		■
ELECTRICAL CONNECTION		
Voltage		230 / 240
Frequency		50
Connected load		3.87
Oven power (max)	kW	2.1 / 1.7
Grill power (max)	kW	1.7 / 1.7
Fuse rating		30
APPLIANCE DIMENSIONS		
Height	mm	900
Width	mm	1000
Depth	mm	600
Net Weight	kg	95
INTERNAL DIMENSIONS (LEFT / RIGHT)		
Volume (usage)	litres	52 / 31
Height	mm	330 / 330
Width	mm	370 / 220
Depth	mm	427 / 427
PACKAGING DIMENSIONS		
Height	mm	1145
Width	mm	1065
Depth	mm	750
Gross Weight	kg	113
SAFETY AND INTERFERENCE SUPPRESSION		
Low Voltage Directive	(LVD)	■
Electromagnetic Compatibility	(EMC)	■
LITERATURE SUPPLIED		
Operation and installation instructions		■

*Model with full safety device, suitable for apartments and multi-occupancy dwellings.
 Convertable to LPG gas (jets included)